



## Appendix 1 Form for Notification

Version: 1.0

**Chemical overview**, for chemicals for which a notification in accordance with 8.2.1.1 under m of the Mining Regulation is required, for the use of chemicals onshore

Name notifier (OPERATOR):

Yeager Energy B.V.

Reference number:

For: Drilling  
 (drilling/production/wellservice/pipelines)

Name onshore location:

AV2

## DATA PROVIDED BY THE OPERATOR

LANDLOCATION	PRODUCT - SUPPLIER DATA						OPERATOR DATA		Environmental		
	Mining work: land location use	Product trade name (1)	Supplier name (2)	Date of issue of SDS (if available) (3)	CtgB no. ("Authorization number" or "registration number") if biocide (4)	Product label: H-phrases or R-phrases (5)	REACH Compliance check completed (hazardous product) (6)	Planned maximal kg's to be used (7)	General comment (8)	ADR Class	Acute Toxicity?
<b>Drilling Fluids contractor - Halliburton Baroid</b>											
AV2, RED E200, Poeldijk	BARACARB	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	10.000		Not Restricted	No	No
	BARACOR 95	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.	H302, H312, H314, H332, H335, H412	Ja	5.000		UN2491 Class 8 Packing Group III N/A Environmental Hazards	Yes	no
	Nuosept 78	Troy Chemical Company BV	31-5-2023	n.v.t.	H302, H330, H319, H317, H372	Ja	2.500		UN2810 Class 6.1, T1 Packing Group II N/A Environmental Hazards	Yes	No
	BARAKLEAN 648	Baroid Drilling Fluids (Halliburton BV)	15-7-2024	n.v.t.	H304, H315, H317, H318, H331	Ja	6.000		UN2810 Class 6.1, T1 Packing Group II N/A Environmental Hazards	Yes	No
	BARAZAN	Baroid Drilling Fluids (Halliburton BV)	14-8-2024	n.v.t.		Ja	10.000		Not Restricted	No	No
	Barite	Baroid Drilling Fluids (Halliburton BV)	11-12-2023	n.v.t.	H351, H373	Ja	100.000		Not Restricted	No	No
	Barofibre	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	5.000		Not Restricted	No	No
	Calcium Carbonate	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.	H351, H373	Ja	150.000		Not Restricted	No	No
	Caustic Soda	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.	H290, H314, H335	Ja	2.500		UN1823 Class 8 Packing Group II N/A Environmental Hazards	No	No
	Citric Acid	Baroid Drilling Fluids (Halliburton BV)	18-9-2024	n.v.t.	H319, H335	Ja	2.000		Not Restricted	No	No
	DEXTRID E	Baroid Drilling Fluids (Halliburton BV)	14-8-2025	n.v.t.		Ja	10.000		Not Restricted	No	No
	GEM GP	Baroid Drilling Fluids (Halliburton BV)	31-5-2024	n.v.t.	H318	Ja	50.000		Not Restricted	No	No
	N-DRIL HT PLUS	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	10.000		Not Restricted	No	No
	NF-6	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	2.000		Not Restricted	No	No
	PAC-L	Baroid Drilling Fluids (Halliburton BV)	14-8-2024	n.v.t.		Ja	5.000		Not Restricted	No	No
	Potassium Chloride (salt)	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	200.000		Not Restricted	No	No
	Pottasium Chloride (brine)	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	400000		Not Restricted	No	No
	Soda Ash	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.	H319	Ja	2000		Not Restricted	No	No
	Sodium Bicarbonate	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	2000		Not Restricted	No	No
	Sodium Chloride (salt)	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	20000		Not Restricted	No	No
Sodium Chloride (brine)	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	50000		Not Restricted	No	No	
SOURSCAV	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	2500		Not Restricted	No	No	
STEELSEAL	Baroid Drilling Fluids (Halliburton BV)	24-1-2023	n.v.t.		Ja	10000		Not Restricted	No	No	
STOPPIT	Baroid Drilling Fluids (Halliburton BV)	29-12-2022	n.v.t.		Ja	15000		Not Restricted	No	No	
<b>Drilling Rig Contractor - RED</b>											
	CLEANMOTION WERKSTATTREINIGER	Dr.Schnell GmbH & Co. KGaA	16-9-2021	n.v.t.	H318; H314	Ja	20		Not Restricted	No	No
	Alassca 1705 OG	Axel Christiernsson AB	19-3-2020	n.v.t.	H222; H229; H315; H317; H366; H304; H411	Ja	10		Not Restricted	No	No
	SAF-T-EZE REGULAR ANTI-SEIZE	Stankovsky Industrieprodukte Handels GmbH	22-12-2022	n.v.t.	H411	Ja	10		Not Restricted	No	No
	Bremsenreiniger	Albert Berner Deutschland GmbH	22-9-2022	n.v.t.	H225; H315; H336; H304; H411	Ja	10		ADR Class 3	No	No
	Kupfergleit-Paste 100g	Albert Berner Deutschland GmbH	30-12-2022	n.v.t.	H319; H400; H410	Ja	10		ADR Class 9	No	No



AV2, RED E200, Poeldijk	Autolack Profi schwarz matt RAL 9005	Albert Berner Deutschland GmbH	28-4-2022	n.v.t.	H222; H229; H319; H336; EUH066	Ja	5	n.v.t.	No	No
	Langzeit-Rostschutzgrundierung	Albert Berner Deutschland GmbH	23-4-2022	n.v.t.	H226; H336; EUH066	Ja	10	n.v.t.	No	No
	Leckfinder	Albert Berner Deutschland GmbH	15-6-2022	n.v.t.	H229	Ja	10	n.v.t.	No	No
	Rostlöser Graphit	Albert Berner Deutschland GmbH	23-4-2022	n.v.t.	H222; H229; H315; H336; H304; H412	Ja	10	ADR Class 2	No	No
	Bohr- und Schneidöl Spray DVGW 300 ml	Albert Berner Deutschland GmbH	23-3-2023	n.v.t.	H222; H229	Ja	10	ADR Class 2	No	No
	Zink-Aluspray	Albert Berner Deutschland GmbH	23-4-2022	n.v.t.	H222; H229; H315; H319; H335; H373; H412	Ja	10	ADR Class 2	No	No
	740(E) Hochleistungs-Rostwächter (Behälter)	Chesterton International GmbH	3-1-2023	n.v.t.	H336; H412	Ja	10	Not Restricted	No	No
	FA10 CEPLATTYN ECO 300	FUCHS LUBRITECH GmbH	28-6-2021	n.v.t.	n.v.t.	Ja	40	Not Restricted	No	No
	GT7 AEROSOL	TEC7	31-12-2021	n.v.t.	H222; H229	Ja	10	Not Restricted	No	No
	Mobil Antifreeze extra	Comma Oil & Chemicals Marketing B.V Amsterdam	22-12-2022	n.v.t.	H302; H373	Ja	200	Not Restricted	No	No
	Mobilux EP 2	EXXONMobil Petroleum & Chemical BV Antwerpen	24-4-2022	n.v.t.	n.v.t.	Ja	40	Not Restricted	No	No
	Shell Gadus S2 V220 2	Shell Austria Gesellschaft m.b.H.	29-1-2021	n.v.t.	n.v.t.	Ja	200	Not Restricted	No	No
	Shell Gadus S3 V220C 2	Shell Austria Gesellschaft m.b.H.	14-6-2023	n.v.t.	H319	Ja	200	Not Restricted	No	No
	Shell Omala S4 GX 220	Shell Austria Gesellschaft m.b.H.	24-7-2023	n.v.t.	n.v.t.	Ja	200	Not Restricted	No	No
	Shell Tegula V 32	Shell Austria Gesellschaft m.b.H.	18-1-2022	n.v.t.	H411	Ja	200	n.v.t.	No	No
	Shell Tellus S2 MX 46	Shell Oil Products US	19-4-2021	n.v.t.	n.v.t.	Ja	200	Not Restricted	No	No
	Anthiftspray P/B	Spiral Reihs & Co. KG, Werkzeug- und Maschinenhandel	13-1-2022	n.v.t.	H222; H229; H411; H336	Ja	10	UN/1950 ADR Class 2	No	No
WD-40 MULTI-USE PRODUCT	WD-40 Company Limited	1-11-2021	n.v.t.	H304; H336; H222; H229	Ja	10	Not Restricted	No	No	
KOPR-KOTE	MIDCO Deutschland	24-1-2023	n.v.t.	n.v.t.	Ja	200	Not Restricted	No	No	
<b>Cementing contractor - Fangmann</b>										
AV2, RED E200, Poeldijk	CAF-902: Anti-foaming Agent	Fangmann Energy Services GmbH & Co. KG	14-3-2018	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	300 Liters	Not Restricted	No	No
	CFL-347: Fluid Loss Additive	Fangmann Energy Services GmbH & Co. KG	27-2-2018	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	100 Kg	Not Restricted	No	No
	CFL-380: Fluid Loss Additive	Fangmann Energy Services GmbH & Co. KG	13-3-2019	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	200 Kg	Not Restricted	No	No
	CRE-120: Cement Retarder	Fangmann Energy Services GmbH & Co. KG	12-3-2013	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	250 Kg	Not Restricted	No	No
	CXT-621: Extender	Fangmann Energy Services GmbH & Co. KG	27-2-2018	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	2 Tons	Not Restricted	No	No
	CMT-002: API Class G	Fangmann Energy Services GmbH & Co. KG	23-4-2018	not applicable	H315, H318, H335	Ja	200 Tons	Not Restricted	No	No
	BLN-007-Hozlite	Fangmann Energy Services GmbH & Co. KG	11-5-2022	not applicable	H315, H318, H335	N.v.t. (niet gevaarlijk)	60 Tons	Not Restricted	No	No
	BLN-014	Fangmann Energy Services GmbH & Co. KG	2-May-19	not applicable	H315, H318, H335, H372	N.v.t. (niet gevaarlijk)	100 Tons	Not Restricted	No	No
CFL-352	Fangmann Energy Services GmbH & Co. KG	3-Feb-23	not applicable	not dangerous	N.v.t. (niet gevaarlijk)	400 Kgs	Not Restricted	No	No	
<b>Mudlogging contractor - Geoservices</b>										
AV2, RED E200, Poeldijk	Alizarin Red	Penreac	24-3-2022	n/a	n.v.t.	N.v.t. (niet gevaarlijk)	40 ml	Not Restricted	No	No
	Barium Chloride	Penreac	1-12-2021	n/a	H-302, H-319	N.v.t. (niet gevaarlijk)	90 ml	Not Restricted	No	No
	Ethylenglykol	Penreac	19-3-2023	n/a	H-302, H-373	Ja	4 l	Not Restricted	No	No
	Phenolphthalein	Penreac	15-5-2023	n/a	H-351, H-341, H-350, H361-f		20 ml	UN 1170 ADR Class 3	No	No
	Hydrochloric Acid (10%)	Penreac	5-7-2022	n/a	H-290, H-315, H319, H-335	Ja	4 l	UN 1789 ADR Class 8	No	No
	Hydrogen Sulfide	Air Product	20-2-2023	n/a	H-220, H-280, H-330, H-400	Ja	3 l	UN 1053 ADR Class 2	No	No
	Hydrogen	Linde Gas	28-2-2022	n/a	H-220, H-280	Ja	100 l	UN 1049 ADR Class 2	No	No
<b>TRS contractor - Odfjell</b>										
AV2, RED E200, Poeldijk	API Modified	South Coast Products	18-5-2023	n/a	H302, H332, H360DF, H372		100 l	Not Restricted	No	No
	Perlus H 46	Kroon Oil	13-3-2023	n/a		Ja	100 l	Not Restricted	No	No
	ThredOn T-Lok 900 (Resin)	South Coast Products	9-3-2022	n/a	H315, H317, H319, H341		10 l	Not Restricted	No	No
	ThredOn T-Lok 900 (Hardener)	South Coast Products	9-3-2022	n/a	H315, H317, H318, H334		10 L	Not Restricted	No	No
	Seal Guard	JET-Lube	3-5-2022	n/a	H412	Ja	100	UN 1133 ADR Class 3	No	No
	ThredOn Metallfree TJ	South Coast Products	3-10-2022	n/a	-		50	Not Restricted	No	No


**"Explanation of the columns of the chemicals overview"**

Footnote	Instruction for footnote
(1)	Enter the exact trade name of the product as stated in the notification of registration (CEFAS template associated with the CEFAS registration).
(2)	Enter the exact supplier name as stated in the notification of registration (CEFAS template belonging to the CEFAS registration).
(3)	Enter the most recent issue date of the safety data sheet (SDS) supplied by the supplier and available from the Operator at the time of the license application. If no SDS is available for a hazardous product, a short explanation is expected in the comment field (18). If it concerns a non-hazardous product (no label in column (5)), no explanation is needed as to why no MSDS from the supplier is present.
(4)	If the product is a biocide, enter the "authorization number" or "registration number" as submitted to the Board for the Authorization of Plant Protection Products and Biocides (Ctgb; www.ctgb.org).
(5)	Enter the applicable H-phrases of the product label in accordance with EC Regulation 1272/2008 (CLP label is mandatory for a "substance" and optionally available until 1-6-2015 for a "mixture"). In the case of a mixture without H-phrases, the supplier may have chosen to use the DPD label with R-phrases. Then fill in the R-phrases in accordance with the EC Preparation Directive 1999/45 / EC. The hazard label can be found on the packaging (if applicable) or stated in chapter 2 of the SDS / (ext-) SDS. Use the phrase codes (e.g. H225-H301-H311-H331 or R11-23 / 24/25). If the product does not have a hazard label, please enter "Not Hazardous".
(6)	Enter here whether a REACH compliance check has been performed (Yes / No / N / A) For a product with a hazard label (see column 3), the compliance check of the supplier - product combination must have been performed. For a product without a hazard label, the compliance check can be set to "n / a" be placed. This does not alter the fact that the parties involved must comply with the legal obligations under REACH. In case of a biocide, enter "Yes" here (not "N / A").
(7)	Enter here the planned maximum quantity (kg) that will be used during the period of validity of the permit.
(8)	If applicable, enter relevant comment (s) here. E.g. why the REACH Compliance check (column 4) for a dangerous product (column 3) has not been completed or why no SDS is available for a dangerous product. There is extra space under the table for additional information. Make a clear reference to the relevant records in the table (e.g. by numbering the comments and entering the numbers in the general comment field of the relevant record (s)).